Index to Volume XXV

Author Index

ABBOTT, ISABELLA A.:
On some Ceramiaceae (Rhodophyta) from California, 349–356

ALEXOPOULOS, CONSTANTINE J.:
see Reynolds and Alexopoulos

BOWMAN, THOMAS E.:
Tortanus scaphus and *Tortanus lophus*, new Pacific planktonic copepods, with notes on *Tortanus murrayi* (Calanoida, Tortanidae), 521–528

BROWNLIE, G., and W. R. PHILIPSON:
Pteridophyta of the southern Cook group, 502–511

BRUCE, A. J.:
On a new commensal shrimp *Periclimenes hirsutus* sp. nov. (Crustacea, Decapoda Natantia, Pontoniinae) from Fiji, 91–99
Periclimenes attenuatus sp. nov. (Crustacea, Decapoda, Natantia, Pontoniinae), a new commensal shrimp from the Duke of York Islands, 533–544

CASTRO, PETER:
The natantian shrimps (Crustacea, Decapoda) associated with invertebrates in Hawaii, 395–403

CHAVE, K. E.:
Fanning Island expedition—1970, 188–190
see also Smith, Roy, Schiesser, Shepherd, and Chave

CLARKE, THOMAS A.:
The ecology of the scalloped hammerhead shark, *Sphyrna lewini*, in Hawaii, 133–144

CROKER, ROBERT A.:
A new species of *Melita* (Amphipoda:Gammaridae) from the Marshall Islands, Micronesia, 100–108
A remarkable new amphipod genus (Crustacea, Gammaridae) from Eniwetok Atoll Lagoon, 382–386

DANA, THOMAS F.:
On the reef corals of the world's most northern atoll (Kure: Hawaiian Archipelago), 80–87

EBERT, THOMAS A.:
A preliminary quantitative survey of the echinoid fauna of Kealakekua and Honaunau bays, Hawaii, 112–131

FAN, POW-FOONG, and ROSS R. GRUNWALD:
Sediment distribution in the Hawaiian archipelago, 484–488

FELSHER, MURRAY:
see Morgenstein and Felsher

FISK, DONALD M.:
Recoveries from 1964 through 1968 of drift bottles released from a merchant vessel, S.S. *Java Mail*, en route Seattle to Yokohama, October 1964, 171–177

FOURNIER, ROBERT O.:
see Gordon, Jr.; Fournier; and Krasnick

GALLAGHER, B. S.; K. M. SHIMADA; F. I. GONZALEZ, JR.; and E. D. STROUP:
Tides and currents in Fanning Atoll Lagoon, 191–205

GONZALEZ, F. I., JR.:
see Gallagher; Shimada; Gonzalez, Jr.; and Stroup

GORDON, DONALD C., JR.:
Organic carbon budget of Fanning Island Lagoon, 222–227
see also Gordon, Jr.; Fournier; and Krasnick

GORDON, DONALD C., JR.; ROBERT O. FOURNIER; and GEORGE J. KRASNICK:
Note on the planktonic primary production in Fanning Island Lagoon, 228–233

GORE, ROBERT H.:
Megalobrachium poeyi (Crustacea, Decapoda, Porcellanidae): comparison between larval development in Atlantic and Pacific specimens reared in the laboratory, 404–425

GOSLINE, WILLIAM A.:
The zoogeographic relationships of Fanning Island inshore fishes, 282–289

GRUNWALD, ROSS R.:
see Fan and Grunwald

GUINTHER, ERIC B.:
Ecologic observations on an estuarine environment at Fanning Atoll, 249–259

HERBST, DERRAL:
A new *Euphorbia* (Euphorbiaceae) from Hawaii, 489–490

HEWITT, G. C.:
Two species of *Caligus* (Copepoda, Caligidae) from Australian waters, with a description of some developmental stages, 145–164

XUM

HOLMES, J. C.:
see Lewin and Holmes

HOUBRICK, JOSEPH R.:
Some aspects of the anatomy, reproduction, and early development of *Cerithium nodulosum* (Bruguière) (Gastropoda, Prosobranchia), 560–565

HUBBARD, NORMAN JAY:
Some chemical features of lavas from the Manu'a Islands, Samoa, 178–187

HUMES, ARTHUR G.:
Sunaristes (Copepoda, Harpacticoida) associated with hermit crabs at Eniwetok Atoll, 529–532

JACKSON, TOGWELL A.:
A study of the ecology of pioneer lichens, mosses, and algae on Recent Hawaiian lava flows, 22–32

JOHNSON, CLIFFORD RAY, and WILLIAM STABLUM:
Observations on the feeding behavior of *Conus geographus* (Gastropoda:Toxoglossa), 109–111

KAY, E. ALISON:
The littoral marine molluscs of Fanning Island, 260–281

KEITH, DONALD E.:
Substrate selection in caprellid amphipods of southern California, with emphasis on *Caprella californica* Stimpson and *Caprella equilibra* Say (Amphipoda), 387–394

KRASNICK, GEORGE J.:
see Gordon, Jr.; Fournier; and Krasnick

LEWIN, V., and J. C. HOLMES:
Helminths from the exotic game birds of the Puuwaawaa Ranch, Hawaii, 372–381

LONGHURST, ALAN R., and DON L. R. SEIBERT:
Breeding in an oceanic population of *Pleuroncodes planipes* (Crustacea, Galatheidae), 426–428

MORGENSTEIN, MAURY:
A study of the growth morphologies of two deep-sea manganese meganodules, 308–312
see also Morgenstein and Felsher

MORGENSTEIN, MAURY, and MURRAY FELSHER:
The origin of manganese nodules: a combined theory with special reference to palagonitization, 301–307

MUSCATINE, LEONARD:
Experiments on green algae coexistent with zooxanthellae in sea anemones, 13–21

NORRIS, RICHARD E.:
see Russell and Norris

O'NEILL, THOMAS B., and GARY L. WILCOX:
The formation of a "primary film" on materials submerged in the sea at Port Hueneme, California, 1–12

PHILIPSON, W. R.:
see Brownlie and Philipson

REIMER, AMADA ALVAREZ:
Feeding behavior in the Hawaiian zoanthids *Palythoa* and *Zoanthus*, 512–520

REYNOLDS, DON R., and CONSTANTINE J. ALEXOPOULOS:
Southeast Asian myxomycetes. I. Thailand and Burma, 33–38

ROBILLIARD, GORDON A.:
Predation by the nudibranch *Dirona albolineata* on three species of prosobranches, 429–435

ROSENBLATT, RICHARD H., and LEIGHTON R. TAYLOR, JR.:
The Pacific species of the clinid fish tribe Starksiini, 436–463

ROY, K. J.:
see Roy and Smith
see also Smith, Roy, Schiesser, Shepherd, and Chave

ROY, K. J., and S. V. SMITH:
Sedimentation and coral reef development in turbid water: Fanning Lagoon, 234–248
see also Smith, Roy, Schiesser, Shepherd, and Chave

RUDMAN, W. B.:
On the opisthobranch genus *Haminoea* Turton & Kingston, 545–559

RUSSELL, DENNIS J., and RICHARD E. NORRIS:
Ecology and taxonomy of an epizooic diatom, 357–367

ST. JOHN, HAROLD:
Endemic plants of Kipahulu Valley, Maui, Hawaiian Islands. Hawaiian Plant Studies 36, 39–79
see also St. John and Smith

ST. JOHN, HAROLD, and ALBERT C. SMITH:
The vascular plants of the Horne and Wallis Islands, 313–348

SCHIESSER, H. G.:
see Smith, Roy, Schiesser, Shepherd, and Chave

SCHROTH, C. L.:
Soil sequences of western Samoa, 291–300

SEIBERT, DON L. R.:
see Longhurst and Seibert

SERAFY, DONALD KEITH:
A new species of *Clypeaster* (Echinodermata, Echinoidea) from San Felix Island, with a key to the Recent species of the eastern Pacific Ocean, 165–170

SHEPHERD, G. L.:
see Smith, Roy, Schiesser, Shepherd, and Chave

SHIMADA, K. M.:
see Gallagher; Shimada; Gonzalez, Jr.; and Stroup

XUM

SMITH, ALBERT C.:
Absorption of water and nuclear lens protein by nuclear lens tissue, 566–568

SMITH, ALBERT C.:
Studies of Pacific island plants, XXII. New flowering plants from Fiji, 491–501
see also St. John and Smith

SMITH, S. V.:
see Roy and Smith
see also Smith, Roy, Schiesser, Shepherd, and Chave

SMITH, S. V., K. J. ROY, H. G. SCHIESSER, G. L. SHEPHERD, and K. E. CHAVE:
Flux of suspended calcium carbonate ($CaCO_3$), Fanning Island Lagoon, 206–221
see also Roy and Smith

STRICKLAND, DAVID L.:
Differentiation and commensalism in the hydroid *Proboscidactyla flavicirrata,* 88–90

STROUP, E. D.:
see Gallagher; Shimada; Gonzalez, Jr.; and Stroup

TAYLOR, LEIGHTON R., JR.:
see Rosenblatt and Taylor, Jr.

TOMICH, P. QUENTIN:
Notes on nests and behavior of the Hawaiian crow, 465–474

VOGL, RICHARD J.:
Vegetation of an alpine bog on East Maui, Hawaii, 474–483

WELLS, JOHN W.:
Notes on Indo-Pacific scleractinian corals. Part 7, *Catalaphyllia,* a new genus of reef corals, 368–371

WILCOX, GARY L.:
see O'Neill and Wilcox

Subject Index

Alpine bog, vegetation of an, 475–483
Algae
green, coexistent with zooxanthellae in sea anemones, 13–21
pioneer, on recent Hawaiian lava flows, 22–32
Amphipods, caprellid, substrate selection in, 387–394
Anthopleura spp., green algae coexistent with zooxanthellae in, 13–21
Argyroxiphium Forbesii sp. nov., 68–70
Argyroxiphium virescens Hbd. var. *paludosa* var. nov., 70–73
Astronidium saulae sp. nov., 497–498
Australia, two species of *Caligus* from, 145–164

Behavior, feeding, of *Conus geographus,* 109–111
Bornetia californica Abbott, new species, 349–352
Burma, Myxomycetes of, 33–38

California
some Ceramiaceae from, 349–356
substrate selection in caprellid amphipods of southern, 387–394
Calcium carbonate, flux of suspended, in Fanning Island Lagoon, 206–221
Caligus epidemicus n. sp., 145–161
Caprella californica Stimpson from southern California, 387–394
Caprella equilibra Say from southern California, 387–394
Carbon budget, organic, of Fanning Island Lagoon, 222–227
Casearia pubipes sp. nov., 492–493
Catalaphyllia new genus, 368–371
Ceramiaceae from California, 349–356
Cerithium nodulosum, some aspects of anatomy, reproduction, and early development of, 560–565
Cleistocalyx decussatus sp. nov., 495
Cleistocalyx kasiensis sp. nov., 494–495
Clermontia kakeana Meyen var. *orientalis* var. nov., 60–61
Clermontia rosacea sp. nov., 61–63
Clypeaster isolatus sp. nov., 165–170
Commensalism in *Proboscidactyla flavicirrata,* 88–90
Conus geographus, feeding behavior of, 109–111
Cook Islands, southern: Pteridophyta of, 502–511
Copepoda from Australia, two species of, 145–164
Coral reefs, development of, as affected by sedimentation and turbid water, 234–248
Corals
of Kure, 80–87
a new genus of reef, 368–371
Cyanea bicolor sp. nov., 63–65
Cyanea haleakalaensis sp. nov., 65–67
Cyrtandra kipahuluensis sp. nov., 52–55
Cyrtandra paludosa Gaud. var. *irrostrata* var. nov., 55–56
Cyrtandra rotata sp. nov., 56–58
Cyrtandra spathulata sp. nov., 58–60

Diatom, an epizooic: ecology and taxonomy of, 357–367
Differentiation in *Proboscidactyla flavicirrata,* 88–90
Dirona albolineata, predation by, on three species of Prosobranchs, 429–435
Drift bottles released at sea, recoveries of, 171–177

XUM

Duke of York Islands: *Periclimenes attenuatus,* a new commensal shrimp from, 533–544

Echinoidea in Kealakekua and Honaunau bays, preliminary quantitative survey of, 112–131
Elaeocarpus ampliflorus sp. nov., 492
Elaeocarpus praeclarus sp. nov., 491–492
Elatostema yenii St. John, sp. nov., 319–322
Eniwetok Atoll
Jerbarnia mecochira new genus and species from, 382–386
Sunaristes associated with hermit crabs at, 529–532
Estuarine environment, ecologic observations on, at Fanning Atoll, 249–259
Euphorbia haeleeleana sp. nov., 489–490

Fanning Island
ecologic observations on an estuarine environment, 249–259
flux of suspended calcium carbonate in lagoon, 206–221
littoral marine molluscs of, 260–281
organic carbon budget of lagoon, 222–227
planktonic primary production in lagoon, 228–233
sedimentation and coral reef development in turbid water in lagoon, 234–248
tides and currents in lagoon, 191–205
zoogeographic relationships of inshore fishes, 282–289
Fiji
new flowering plants from, 491–501
Periclimenes hirsutus sp. nov. from, 91–99
Fishes, Fanning Island inshore, zoogeographic relationships of, 282–289
Flacourtia amalotricha sp. nov., 493–494

Haminoea, the herbivorous opisthobranch genus, 545–559
Hawaiian crow, nests and behavior of, 465–474
Hawaiian Islands
birds of, Hawaiian crow, 465–474
echinoid fauna of Kealakekua and Honaunau bays, 112–131
ecology of pioneer lichens, mosses, and algae on recent lava flows, 22–32
ecology of scalloped hammerhead shark, *Sphyrna lewini,* 133–144
endemic plants of Kipahulu Valley, Maui, 39–79
feeding behavior in zoanthids *Palythoa* and *Zoanthus,* 512–520
helminths from exotic game birds of Puuwaawaa Ranch, Hawaii, 372–381
natantian shrimps associated with invertebrates in, 395–403
a new *Euphorbia* from, 489–490
reef corals of Kure, 80–87
sediment distribution in, 484–488
vegetation of an alpine bog on East Maui, 475–483
Hawaiian Plant Studies
36. Endemic plants of Kipahulu Valley, Maui, Hawaiian Islands, 39–79
Honaunau Bay, Hawaii, preliminary quantitative survey of echinoid fauna in, 112–131
Horne and Wallis Islands, vascular plants of, 313–348
Hydroids
Proboscidactyla flavicirrata, differentiation and commensalism in, 88–90

Jerbarnia mecochira new species, 382–386
Jerbarnia new genus, 382–386

Kealakekua Bay, Hawaii, preliminary quantitative survey of echinoid fauna in, 112–131
Key
to the Indo-West-Pacific pontoniid shrimps known to be associated with crinoid hosts, 543–544
to Pacific species of the tribe Starksiini, 443–444
to Recent species of *Clypeaster* in the eastern Pacific Ocean, 168–170
Keysseria lavandula sp. nov., 73, 75–76
Keysseria maviensis (Mann) Cabrera, forma *emarginata* (Forbes) comb. nov., 76
Kipahulu Valley, endemic plants of, 39–79
Kure, reef corals of, 80–87

Lagenophora viridis sp. nov., 76–78
Larval development in *Megalobrachium poeyi,* comparison of, between Atlantic and Pacific specimens reared in the laboratory, 404–425
Lava flows, recent, ecology of pioneer lichens, mosses, and algae on, 22–32
Lavas, some chemical features of, from Manu'a Islands, Samoa, 178–187
Lichens, pioneer, on recent Hawaiian lava flows, 22–32
Lysimachia kipahuluensis sp. nov., 50–52

Manganese meganodules, growth morphologies of two deep-sea, 308–312
Manganese nodules, origin of, 301–307
Manu'a Islands, Samoa, some chemical features of lavas from, 178–187
Marshall Islands, *Melita celericula* new species from, 100–108
Megalobrachium poeyi, 404–425
Meganodules, manganese, growth morphologies of two deep-sea, 308–312
Melita celericula new species, 100–108
Memecylon insperatum sp. nov., 498–499
Meryta tanuifolia sp. nov., 499
Molluscs, littoral marine, of Fanning Island, 260–281
Mosses, pioneer, on recent Hawaiian lava flows, 22–32
Myxomycetes of Thailand and Burma, 33–38

New combinations
Keysseria maviensis (Mann) Cabrera, forma *emarginata* (Forbes) (Compositae), 76
Ptilothamnion codicolum (Dawson) (Ceramiaceae), 352–353, 355
Thelypteris harveyi (Mett. ex Kuhn) Brownlie (Thelypteridaceae), 318

XUM

Tiffaniella snyderae (Farlow) (Ceramiaceae), 352, 354
New forms: *Pelea clusiaefolia* Gray var. *minor* St. John, forma *stenophylla* (Rutaceae), 47
New genera
Catalaphyllia (Eusmiliidae), 368–371
Jerbarnia (Gammaridae), 382–386
Sameioneis (Bacillariophyceae), 357–367
Xenomedea (Clinidae), 444–445
New species
Argyroxiphium Forbesii (Compositae), 68–70
Astronidium saulae (Melastomataceae), 497–498
Bornetia californica (Ceramiaceae), 349–352
Caligus epidemicus (Caligidae), 145–161
Casearia pubipes (Flacourtiaceae), 492–493
Cleistocalyx decussatus (Myrtaceae), 495
Cleistocalyx kasiensis (Myrtaceae), 494–495
Clermontia rosacea (Lobeliaceae), 61–63
Clypeaster isolatus (Clypeasteridae), 165–170
Cyanea bicolor (Lobeliaceae), 63–65
Cyanea haleakalaensis (Lobeliaceae), 65–67
Cyrtandra kipahuluensis (Gesneriaceae), 52–55
Cyrtandra rotata (Gesneriaceae), 56–58
Cyrtandra spathulata (Gesneriaceae), 58–60
Elaeocarpus ampliflorus (Elaeocarpaceae), 492
Elaeocarpus praeclarus (Elaeocarpaceae), 491–492
Elatostema yenii (Urticaceae), 319–322
Euphorbia haeleeleana (Euphorbiaceae), 489–490
Flacourtia amalotricha (Flacourtiaceae), 493–494
Jerbarnia mecochira (Gammaridae), 382–386
Keysseria lavandula (Compositae), 73, 75–76
Lagenophora viridis (Compositae), 76–78
Lysimachia kipahuluensis (Primulaceae), 50–52
Melita celericula (Gammaridae), 100–108
Memecylon insperatum (Melastomataceae), 498–499
Meryta tanuifolia (Araliaceae), 499
Panicum lamiatile (Gramineae), 39–41
Panicum lustriale (Gramineae), 41–43
Pelea anapanapaensis (Rutaceae), 43–46
Pelea kipahuluensis (Rutaceae), 48–50
Peperomia futunaensis (Piperaceae), 324–325
Peperomia kipahuluensis (Piperaceae), 43, 44
Periclimenes atienuatus (Pontoniinae), 533–544
Periclimenes hirsutus (Pontoniinae), 91–99
Phymatodes katuii (Polypodiaceae), 509–510
Piliocalyx concinnus (Myrtaceae), 496–497
Psychotria brachythrix (Rubiaceae), 500–501
Psychotria vesula (Rubiaceae), 499–500
Sameioneis carinaes (Bacillariophyceae), 357–367
Starksia fulva (Clinidae), 454–456
Starksia galapagensis (Clinidae), 455, 456–457
Starksia grammilaga (Clinidae), 455, 457–458
Starksia guadalupae (Clinidae), 458–459
Starksia hoesei (Clinidae), 458, 459–460
Starksia lepidogaster (Clinidae), 447–460
Starksia posthon (Clinidae), 447, 460–461
Tortanus (*Atortus*) *lophus* (Tortanidae), 521–528
Tortanus (*Atortus*) *scaphus* (Tortanidae), 521–528
Xenomedea rhodopyga (Clinidae), 437, 445–453
New varieties
Argyroxiphium virescens Hbd. var. *paludosa* (Compositae), 70–73
Clermontia kakeana Meyen var. *orientalis* (Lobeliaceae), 60–61
Cyrtandra paludosa Gaud. var. *irrostrata* (Gesneriaceae), 55–56
Pelea clusiaefolia Gray var. *minor* St. John, *minor* forma (Rutaceae), 46–47
Railliardia demissifolia Sherff var. *dolichophylla* var. nov. (Compositae), 78–79
Trematolobelia macrostachys (H. & A.) Zahlbr. var. *haleakalaensis* (Lobeliaceae), 67–68
Nodules, manganese, origin of, 301–307
Notes on Indo-Pacific Scleractinian Corals
7. *Catalaphyllia*, a new genus of reef corals, 368–371
Nuclear lens tissue, absorption of water and nuclear lens protein by, 566–568

Palythoa psammophilia, feeding behavior in, 512–520
Panicum lamiatile sp. nov., 39–41
Panicum lustriale sp. nov., 41–43
Pelea anapanapaensis sp. nov., 43–46
Pelea clusiaefolia Gray var. *minor* St. John, forma *stenophylla* forma nova, 47
Pelea clusiaefolia Gray var. *minor* St. John, var. nov., *minor* forma, 46–47
Pelea kipahuluensis sp. nov., 48–50
Peperomia futunaensis St. John, sp. nov., 324–325
Peperomia kipahuluensis sp. nov., 43, 44
Periclimenes attenuatus sp. nov., 533–544
Periclimenes hirsutus sp. nov., 91–99
Phymatodes katuii Brownlie sp. nov., 509–510
Piliocalyx concinnus sp. nov., 496–497
Pleuroncodes planipes, breeding of, in an oceanic population, 426–428
Primary film (slime layer), formation of, on materials submerged in sea, 1–12
Primary production, planktonic, in Fanning Island Lagoon, 228–233
Proboscidactyla flavicirrata, differentiation and commensalism in, 88–90
Prosobranchs, predation on, by the nudibranch *Dirona albolineata*, 429–435
Psychotria brachythrix sp. nov., 500–501
Psychotria vesula sp. nov., 499–500
Ptilothamnion codicolum (Dawson) new comb., 352–353, 355

Railliardia demissifolia Sherff var. *dolichophylla* var. nov., 78–79

Sameioneis carinaes gen. et sp. nov., 357–367
San Felix Island, a new species of *Clypeaster* from, 165–170
Samoa
soil sequences of western, 291–300
some chemical features of lavas from Manu'a Islands, 178–187
Scalloped hammerhead shark, ecology of, in Hawaiian Islands, 133–144

XUM

Sea anemones, green algae coexistent with zooxanthellae in, 13–21
Shrimps, natantian, associated with invertebrates in Hawaiian Islands, 395–403
Slime layer (primary film), formation of, on materials submerged in sea, 1–12
Soil sequences, effects of age and rainfall on, in western Samoa, 291–300
Southeast Asian Myxomycetes
I. Thailand and Burma, 33–38
Sphyrna lewini, ecology of, in Hawaiian Islands, 133–144
Starksia fulva new species, 454–456
Starksia galapagensis new species, 455, 456–457
Starksia grammilaga new species, 455, 457–458
Starksia guadalupae new species, 458–459
Starksia hoesei new species, 458, 459–460
Starksia lepidogaster new species, 447, 460
Starksia posthon new species, 447, 460–461
Starksiini, the Pacific species of the clinid fish tribe of, 436–463
Studies of Pacific Island Plants
XXII. New flowering plants from Fiji, 491–501
Sunaristes, associated with hermit crabs, 529–532

Thailand, Myxomycetes of, 33–38
Thelypteris harveyi (Mett. ex Kuhn) Brownlie, comb. nov., 318
Tides and currents in Fanning Island Lagoon, physical studies of, 191–205
Tiffaniella snyderae (Farlow) new comb., 352, 354
Tortanus (*Atortus*) *lophus* new species, 521–528
Tortanus (*Atortus*) *murrayi*, notes on, 521–528
Tortanus (*Atortus*) *scaphus* new species, 521–528
Trematolobelia macrostachys (H. & A.) Zahlbr. var. *haleakalaensis* var. nov., 67–68

Xenomedea new genus, 444–445
Xenomedea rhodopyga new species, 437, 445–453

Zoanthus pacificus, feeding behavior in, 511–520
Zooxanthellae, coexistent with green algae in sea anemones, 13–21

XUM

XUM